



FHHL PRIVATE LIMITED

(FOOD HYGIENE & HEALTH LABORATORY)

Testing of • Food & Processed Food Products • Water
• Environmental Monitoring & Analysis • Packaging Material

Laboratory Add.: Sr. NO. 126/10, Plot No. 1, Hadapsar Industrial Estate, Hadapsar, Pune - 411 013, MH., India.
Mob. : +91-9881237321, +91-8380074695 E-mail : info@fhhl.in Website : www.fhhl.in



TC- 5931

TEST REPORT

CUSTOMER NAME & ADDRESS67		REPORT DETAILS		Page 1 of 2	
Ryan International Academy Near Yashwin Society Opp Tinsal Town Hinjewadi Phase-2, ,Pune,Maharashtra,411057 Customer Reference: Test Request Form Reference Date: 21 Aug 2024		Report No: FHHL/2408/0667-1 Report Date: 29/08/2024 Sample ID: 2408/0667-1 Analysis Started: 21/08/2024 Analysis Ended: 29/08/2024 ULR:TC593124000013050F			
SAMPLE INFORMATION					
Sample Type: Water Sample Registered Date: 21/08/2024 Sample Packing: Plastic Bottle & Sterile Container Sample Collected/ Submitted by: FHHL Lab Representative		Received Date: 21/08/2024 Sample Quantity: 1ltr & 300ml Seal: Sealed			
SAMPLE INFORMATION [PROVIDED BY CUSTOMER]					
Sample Marked As : 1st floor RO Drinking Water		Sample Preservation : AT 2° - 8° C			
TEST DETAILS					
Discipline: Chemical & Biology Testing Location of Test Performed: In House Test Reference:As per IS 10500:2012 Product Group: Water, Residues and Contaminants in Water. Sub Group: Drinking Water, Trace Metal Elements					
Sr.no.	Test Done	Result	Unit	Limits	Test Method
1	Coliform	Absent	Per 100 ml	Absent	IS 15185:2016
2	Escherichia coli	Absent	Per 100 ml	Absent	IS 15185:2016
3	Faecal coliform	Absent	MPN Index / 100 ml	Absent	IS 1622 Clause no.3.3.1.2 b:1981

Authorized Signatory - Biological Testing

Priyanka Kotwal
Sr. Microbiologist



Authorized Signatory - Chemical Testing

Kanchan Pol
Sr. Chemist

Principal
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Manager
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Conditions of reporting: 1) Above results pertain only to the sample tested as received and above results reflects our findings at the time and place of testing. 2) This report in full or part shall not be published, advertised unless prior written permission has been secured. 3) Comments given in the report are advisory only and shall not be used in case of legal matters. 4) This report is exclusively for the use of the customer, whose name and address are mentioned above. No third party can derive any rights against FHHL Pvt. Ltd., to raise any claims on basis of this report. 5) This report is not allowed to be edited in any manner. FHHL Pvt. Ltd. reserves all rights to take legal actions if any such incidence is noticed. 6) FHHL is not liable for any form of financial claims made against it for the report issued. If any liability claims made shall be scientifically and legally proved & the total liability would not extend to the invoiced/paid amount against the respective test report only. 7) Unless specified, sampling was not performed by FHHL and result apply to the



FHHL PRIVATE LIMITED

(FOOD HYGIENE & HEALTH LABORATORY)

Testing of • Food & Processed Food Products • Water
• Environmental Monitoring & Analysis • Packaging Material

Laboratory Add.: Sr. NO. 126/10, Plot No. 1, Hadapsar Industrial Estate, Hadapsar, Pune - 411 013, MH., India.
Mob. : +91-9881237321, +91-8380074695 E-mail : info@fhhl.in Website : www.fhhl.in



TC- 5931

TEST REPORT

CUSTOMER NAME & ADDRESS67	REPORT DETAILS	Page 2 of 2
Ryan International Academy Near Yashwin Society Opp Tinsal Town Hinjewadi Phase-2, ,Pune,Maharashtra,411057 Customer Reference: Test Request Form Reference Date: 21 Aug 2024	Report No: FHHL/2408/0667-1 Report Date: 29/08/2024 Sample ID: 2408/0667-1 Analysis Started: 21/08/2024 Analysis Ended: 29/08/2024 ULR:TC593124000013050F	

TEST DETAILS

Discipline: Chemical & Biology Testing
Location of Test Performed: In House
Test Reference: As per IS 10500:2012
Product Group: Water, Residues and Contaminants in Water.
Sub Group: Drinking Water, Trace Metal Elements

Sr.no.	Test Done	Result	Unit	Limits	Test Method
1	Alkalinity as CaCO ₃	124.00	mg/L	200, Max	APHA -2320-B: 2023
2	Chloride (as Cl)	27.59	mg/L	250, Max	IS 3025 (Part 32) Cl.No.2: 1988
3	Sulphate (as SO ₄)	51.86	mg/L	200, Max	APHA 4500-SO42-E: 2023
4	Total Hardness (as CaCO ₃)	180.00	mg/L	200, Max	IS 3025 (Part 21) Cl.No.5: 2009
5	pH at 25°C	7.7	-	6.5 to 8.5	IS 3025 (Part 11): 2022
6	Iron (as Fe)	<0.05	mg/L	1.0, Max	APHA -3500-Fe-B: 2023
7	Fluoride (as F)	<0.1	mg/L	1.0, Max	APHA -4500-F-D: 2023
8	Total Dissolved Solids (TDS)	280	mg/L	500, Max	IS 3025 (Part 16):2023
9	Nitrate (as NO ₃)	18.70	mg/L	45, Max	APHA 4500-NO3-B:2023
10	Arsenic (as As)	<0.005	mg/L	0.01, Max	APHA 3114-C: 2023

Remark : Referring to the above mentioned parameters only, sample conforms to Drinking Water- Specification as per Acceptable Limits of IS 10500:2012 including Amendment No. 4.

Note: Retention time of the above mentioned sample would be 15 days after report date, subject to the remnant quantity.

Authorized Signatory - Chemical Testing

Authorized Signatory - Chemical Testing

S.Raskar

Kanchan Pol

Swati Raskar
Sr. Chemist

Kanchan Pol
Sr. Chemist

(This report has been authorized with digital signature.)

*** END OF REPORT ***

pcuina

Randine

Principal
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Manager
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Conditions of reporting: 1) Above results pertain only to the sample tested as received and above results reflects our findings at the time and place of testing. 2) This report in full or part shall not be published, advertised unless prior written permission has been secured. 3) Comments given in the report are advisory only and shall not be used in case of legal matters. 4) This report is exclusively for the use of the customer, whose name and address are mentioned above. No third party can derive any rights against FHHL Pvt. Ltd., to raise any claims on basis of this report. 5) This report is not allowed to be edited in any manner. FHHL Pvt. Ltd. reserves all rights to take legal actions if any such incidence is noticed. 6) FHHL is not liable for any form of financial claims made against it for the report issued. If any liability claims made shall be scientifically and legally proved & the total liability would not extend to the invoiced/paid amount against the respective test report only. 7) Unless specified, sampling was not performed by FHHL and result apply to the sample as received.



FHHL PRIVATE LIMITED

(FOOD HYGIENE & HEALTH LABORATORY)

Testing of • Food & Processed Food Products • Water
• Environmental Monitoring & Analysis • Packaging Material

Laboratory Add.: Sr. NO. 126/10, Plot No. 1, Hadapsar Industrial Estate, Hadapsar, Pune - 411 013, MH., India.
Mob. : +91-9881237321, +91-8380074695 E-mail : info@fhhl.in Website : www.fhhl.in



TEST REPORT

CUSTOMER NAME & ADDRESS67		REPORT DETAILS		Page 1 of 2	
Ryan International Academy Near Yashwin Society Opp Tinsal Town Hinjewadi Phase-2, ,Pune,Maharashtra,411057 Customer Reference: Test Request Form Reference Date: 21 Aug 2024		Report No: FHHL/2408/0667-2 Report Date: 29/08/2024 Sample ID: 2408/0667-2 Analysis Started: 21/08/2024 Analysis Ended: 29/08/2024 ULR:TC593124000013051F			
SAMPLE INFORMATION					
Sample Type: Water Sample Registered Date: 21/08/2024 Sample Packing: Plastic Bottle & Sterile Container Sample Collected/ Submitted by: FHHL Lab Representative		Received Date: 21/08/2024 Sample Quantity: 1ltr & 300ml Seal: Sealed			
SAMPLE INFORMATION [PROVIDED BY CUSTOMER]					
Sample Marked As :		2nd floor RO Drinking Water			
Sample Preservation :		AT 2° - 8° C			
TEST DETAILS					
Discipline: Chemical & Biology Testing Location of Test Performed: In House Test Reference:As per IS 10500:2012 Product Group: Water, Residues and Contaminants in Water. Sub Group: Drinking Water, Trace Metal Elements					
Sr.no.	Test Done	Result	Unit	Limits	Test Method
1	Coliform	Absent	Per 100 ml	Absent	IS 15185:2016
2	Escherichia coli	Absent	Per 100 ml	Absent	IS 15185:2016
3	Faecal coliform	Absent	MPN Index / 100 ml	Absent	IS 1622 Clause no.3.3.1.2 b:1981

Authorized Signatory - Biological Testing

Priyanka Kotwal
Sr. Microbiologist



Authorized Signatory - Chemical Testing

Kanchan Pol
Sr. Chemist

Principal
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Manager
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Conditions of reporting: 1) Above results pertain only to the sample tested as received and above results reflects our findings at the time and place of testing. 2) This report in full or part shall not be published, advertised unless prior written permission has been secured. 3) Comments given in the report are advisory only and shall not be used in case of legal matters. 4) This report is exclusively for the use of the customer, whose name and address are mentioned above. No third party can derive any rights against FHHL Pvt. Ltd., to raise any claims on basis of this report. 5) This report is not allowed to be edited in any manner. FHHL Pvt. Ltd. reserves all rights to take legal actions if any such incidence is noticed. 6) FHHL is not liable for any form of financial claims made against it for the report issued. If any liability claims made shall be scientifically and legally proved & the total liability would not extend to the invoiced/paid amount against the respective test report only. 7) Unless specified, sampling was not performed by FHHL and result apply to the sample as received.



FHHL PRIVATE LIMITED

(FOOD HYGIENE & HEALTH LABORATORY)

Testing of • Food & Processed Food Products • Water
• Environmental Monitoring & Analysis • Packaging Material

Laboratory Add.: Sr. NO. 126/10, Plot No. 1, Hadapsar Industrial Estate, Hadapsar, Pune - 411 013, MH., India.
Mob. : +91-9881237321, +91-8380074695 E-mail : info@fhhl.in Website : www.fhhl.in



TC- 5931

TEST REPORT

CUSTOMER NAME & ADDRESS67	REPORT DETAILS	Page 2 of 2
Ryan International Academy Near Yashwin Society Opp Tinsal Town Hinjewadi Phase-2, ,Pune,Maharashtra,411057 Customer Reference: Test Request Form Reference Date: 21 Aug 2024	Report No: FHHL/2408/0667-2 Report Date: 29/08/2024 Sample ID: 2408/0667-2 Analysis Started: 21/08/2024 Analysis Ended: 29/08/2024 ULR:TC593124000013051F	

TEST DETAILS

Discipline: Chemical & Biology Testing
Location of Test Performed: In House
Test Reference: As per IS 10500:2012
Product Group: Water, Residues and Contaminants in Water.
Sub Group: Drinking Water, Trace Metal Elements

Sr.no.	Test Done	Result	Unit	Limits	Test Method
1	Alkalinity as CaCO ₃	62.00	mg/L	200, Max	APHA -2320-B: 2023
2	Chloride (as Cl)	14.78	mg/L	250, Max	IS 3025 (Part 32) Cl.No.2: 1988
3	Sulphate (as SO ₄)	23.23	mg/L	200, Max	APHA 4500-SO42-E: 2023
4	Total Hardness (as CaCO ₃)	96.00	mg/L	200, Max	IS 3025 (Part 21) Cl.No.5: 2009
5	pH at 25°C	7.5	-	6.5 to 8.5	IS 3025 (Part 11): 2022
6	Iron (as Fe)	<0.05	mg/L	1.0, Max	APHA -3500-Fe-B: 2023
7	Fluoride (as F)	0.21	mg/L	1.0, Max	APHA -4500-F-D: 2023
8	Total Dissolved Solids (TDS)	154	mg/L	500, Max	IS 3025 (Part 16):2023
9	Nitrate (as NO ₃)	12.57	mg/L	45, Max	APHA 4500-NO3-B: 2023
10	Arsenic (as As)	<0.005	mg/L	0.01, Max	APHA 3114-C: 2023

Remark : Referring to the above mentioned parameters only, sample conforms to Drinking Water- Specification as per Acceptable Limits of IS 10500:2012 including Amendment No. 4.

Note: Retention time of the above mentioned sample would be 15 days after report date, subject to the remnant quantity.

Authorized Signatory - Chemical Testing

S.Raskar

Swati Raskar
Sr. Chemist



Authorized Signatory - Chemical Testing

Kanchan Pol

Kanchan Pol
Sr. Chemist

(This report has been authorized with digital signature.)

*** END OF REPORT ***

Principle

Principal
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Pandine

Manager
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Conditions of reporting: 1) Above results pertain only to the sample tested as received and above results reflects our findings at the time and place of testing. 2) This report in full or part shall not be published, advertised unless prior written permission has been secured. 3) Comments given in the report are advisory only and shall not be used in case of legal matters. 4) This report is exclusively for the use of the customer, whose name and address are mentioned above. No third party can derive any rights against FHHL Pvt. Ltd., to raise any claims on basis of this report. 5) This report is not allowed to be edited in any manner. FHHL Pvt. Ltd. reserves all rights to take legal actions if any such incidence is noticed. 6) FHHL is not liable for any form of financial claims made against it for the report issued. If any liability claims made shall be scientifically and legally proved & the total liability would not extend to the invoiced/paid amount against the respective test report only. 7) Unless specified, sampling was not performed by FHHL and result apply to the sample as received.



FHHL PRIVATE LIMITED

(FOOD HYGIENE & HEALTH LABORATORY)

Testing of • Food & Processed Food Products • Water
• Environmental Monitoring & Analysis • Packaging Material

Laboratory Add.: Sr. NO. 126/10, Plot No. 1, Hadapsar Industrial Estate, Hadapsar, Pune - 411 013, MH., India.
Mob. : +91-9881237321, +91-8380074695 E-mail : info@fhhl.in Website : www.fhhl.in



TC- 5931

TEST REPORT

CUSTOMER NAME & ADDRESS67		REPORT DETAILS		Page 1 of 2	
Ryan International Academy Near Yashwin Society Opp Tinsal Town Hinjewadi Phase-2, ,Pune,Maharashtra,411057 Customer Reference: Test Request Form Reference Date: 21 Aug 2024		Report No: FHHL/2408/0667-3 Report Date: 29/08/2024 Sample ID: 2408/0667-3 Analysis Started: 21/08/2024 Analysis Ended: 29/08/2024 ULR:TC593124000013052F			
SAMPLE INFORMATION					
Sample Type: Water Sample Registered Date: 21/08/2024 Sample Packing: Plastic Bottle & Sterile Container Sample Collected/ Submitted by: FHHL Lab Representative		Received Date: 21/08/2024 Sample Quantity: 1ltr & 300ml Seal: Sealed			
SAMPLE INFORMATION [PROVIDED BY CUSTOMER]					
Sample Marked As : 3rd floor RO Drinking Water		Sample Preservation : AT 2° - 8° C			
TEST DETAILS					
Discipline: Chemical & Biology Testing Location of Test Performed: In House Test Reference:As per IS 10500:2012 Product Group: Water, Residues and Contaminants in Water. Sub Group: Drinking Water, Trace Metal Elements					
Sr.no.	Test Done	Result	Unit	Limits	Test Method
1	Coliform	106	Per 100 ml	Absent	IS 15185:2016
2	Escherichia coli	08	Per 100 ml	Absent	IS 15185:2016
3	Faecal coliform	43	MPN Index / 100 ml	Absent	IS 1622 Clause no.3.3.1.2 b:1981

Authorized Signatory - Biological Testing

Authorized Signatory - Chemical Testing

Priyanka Kotwal
Sr. Microbiologist



Kanchan Pol
Sr. Chemist

Principal
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Manager
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Conditions of reporting: 1) Above results pertain only to the sample tested as received and above results reflects our findings at the time and place of testing. 2) This report in full or part shall not be published, advertised unless prior written permission has been secured. 3) Comments given in the report are advisory only and shall not be used in case of legal matters. 4) This report is exclusively for the use of the customer, whose name and address are mentioned above. No third party can derive any rights against FHHL Pvt. Ltd., to raise any claims on basis of this report. 5) This report is not allowed to be edited in any manner. FHHL Pvt. Ltd. reserves all rights to take legal actions if any such incidence is noticed. 6) FHHL is not liable for any form of financial claims made against it for the report issued. If any liability claims made shall be scientifically and legally proved & the total liability would not extend to the invoiced/paid amount against the respective test report only. 7) Unless specified, sampling was not performed by FHHL and result apply to the sample as received.



FHHL PRIVATE LIMITED

(FOOD HYGIENE & HEALTH LABORATORY)

Testing of • Food & Processed Food Products • Water
• Environmental Monitoring & Analysis • Packaging Material

Laboratory Add.: Sr. NO. 126/10, Plot No. 1, Hadapsar Industrial Estate, Hadapsar, Pune - 411 013, MH., India.
Mob. : +91-9881237321, +91-8380074695 E-mail : info@fhhl.in Website : www.fhhl.in



TC- 5931

TEST REPORT

CUSTOMER NAME & ADDRESS67	REPORT DETAILS	Page 2 of 2
Ryan International Academy Near Yashwin Society Opp Tinsal Town Hinjewadi Phase-2, ,Pune,Maharashtra,411057 Customer Reference: Test Request Form Reference Date: 21 Aug 2024	Report No: FHHL/2408/0667-3 Report Date: 29/08/2024 Sample ID: 2408/0667-3 Analysis Started: 21/08/2024 Analysis Ended: 29/08/2024 ULR:TC593124000013052F	

TEST DETAILS
Discipline: Chemical & Biology Testing Location of Test Performed: In House Test Reference: As per IS 10500:2012 Product Group: Water, Residues and Contaminants in Water. Sub Group: Drinking Water, Trace Metal Elements

Sr.no.	Test Done	Result	Unit	Limits	Test Method
1	Alkalinity as CaCO ₃	16.00	mg/L	200, Max	APHA -2320-B: 2023
2	Chloride (as Cl)	5.91	mg/L	250, Max	IS 3025 (Part 32) Cl.No.2: 1988
3	Sulphate (as SO ₄)	3.24	mg/L	200, Max	APHA 4500-SO42-E: 2023
4	Total Hardness (as CaCO ₃)	17.00	mg/L	200, Max	IS 3025 (Part 21) Cl.No.5: 2009
5	pH at 25°C	8.0	-	6.5 to 8.5	IS 3025 (Part 11): 2022
6	Iron (as Fe)	<0.05	mg/L	1.0, Max	APHA -3500-Fe-B: 2023
7	Fluoride (as F)	<0.1	mg/L	1.0, Max	APHA -4500-F-D: 2023
8	Total Dissolved Solids (TDS)	47	mg/L	500, Max	IS 3025 (Part 16):2023
9	Nitrate (as NO ₃)	4.98	mg/L	45, Max	APHA 4500-NO3-B: 2023
10	Arsenic (as As)	<0.005	mg/L	0.01, Max	APHA 3114-C: 2023

Remark : Referring to the above mentioned parameters only, sample does not conform to Drinking Water- Specification as per Limits of IS 10500:2012 including Amendment No. 4.

Note: Retention time of the above mentioned sample would be 15 days after report date, subject to the remnant quantity.

Authorized Signatory - Chemical Testing

Authorized Signatory - Chemical Testing

S.Raskar



Kanchan Pol

Swati Raskar
Sr. Chemist

Kanchan Pol
Sr. Chemist

(This report has been authorized with digital signature.)

*** END OF REPORT ***

Principa

Bandine

Principal
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Manager
Ryan International Academy
S.No 286/4/1 Maan,
Hinjewadi Phase-2, Pune-411057.

Conditions of reporting: 1) Above results pertain only to the sample tested as received and above results reflects our findings at the time and place of testing. 2) This report in full or part shall not be published, advertised unless prior written permission has been secured. 3) Comments given in the report are advisory only and shall not be used in case of legal matters. 4) This report is exclusively for the use of the customer, whose name and address are mentioned above. No third party can derive any rights against FHHL Pvt. Ltd., to raise any claims on basis of this report. 5) This report is not allowed to be edited in any manner. FHHL Pvt. Ltd. reserves all rights to take legal actions if any such incidence is noticed. 6) FHHL is not liable for any form of financial claims made against it for the report issued. If any liability claims made shall be scientifically and legally proved & the total liability would not extend to the invoiced/paid amount against the respective test report only. 7) Unless specified, sampling was not performed by FHHL and result apply to the sample as received